









KOMBINIRANE BRTVE Ugradbene mjere

KT
03




DIHTA d.o.o.
Labinci 83,
52464 Kaštelir (HR)
Mob.: 099 200 1550
Tel.: 052 455 093
E-mail: info@dihta.com
Web: www.dihta.com

Vrste brtvi:



Ugradbene mjere					
	D	d	d1	L1	L2
	50	34	46	20,5	3,1
Primjer naručivanja					
Profil	D	d	d1	L1	L2
KT1	50	34	46	20,5	3,1



Ugradbene mjere			
	D	d	L1
	60	44	20,5
Primjer naručivanja			
Profil	D	d	L1
KT8	60	40	20,5


KOMBINIRANE BRTVE Ugradbene mjere

KT
03



DIHTA d.o.o.
Labinci 83,
52464 Kaštelir (HR)
Mob.: 099 200 1550
Tel.: 052 455 093
E-mail: info@dihta.com
Web: www.dihta.com

Vrste brtvi:



D	d	d1	L1	L2	TIP
20	11	17	13,5	2,1	KT1
22	13	19	13,5	2,1	KT1
25	15	21	12	4	
25	15	21,45	16,4	6,35	KT1
25	16	22	13,5	2,1	KT1
28	19	25	13,5	2,1	KT1
30	21	27	13,5	2,1	KT1
32	22	28	15,5	2,6	KT1
32	22	28,5	16,4	6,35	KT1
32	24	27,8	15,5	3,2	KT1
35	25	31	15,5	2,6	KT1
35	25	31,4	16,4	6,35	KT1
40	24	35,4	18,4	6,35	KT1
40	24	35,4	18,4	6,35	KT4
40	24	35,4	18,4	6,35	KT7
40	26	36	15,5	2,6	KT1
40	26	36	15,5	2,6	KT4
40	30	36	12,5	4	KT1
40	30	37	12,5	4	KT1
40	30	35,4	16,4	6,35	KT1
40	32	35,8	15,5	3,2	KT1
42	28	38	15,5	2,6	
44,4528,5739,87	19,05	6,35	KT7		
45	29	40,4	18,4	6,35	KT1
45	29	40,4	18,4	6,35	KT7
45	31	41	15,5	2,6	KT4
45	35	40,4	16,4	6,35	KT1
50	34	46	20,5	3,1	KT4
50	34	45,4	18,4	6,35	KT1
50	34	45,4	18,4	6,35	KT4
50	34	45,4	18,4	6,35	KT7
50	38	46	20,5	4,2	KT1
50,834,92	46,23	19,45	6,35	KT7	
50,841,27	46,27	11,1	3,81		
53,9738,1	49,4	19,45	6,35	KT7	
55	39	51	20,5	3,1	KT4
55	39	50,36	18,4	6,35	KT1
55	39	50,36	18,4	6,35	KT7
56	40	52	20,5	3,1	KT1
60	44	56	20,5	3,1	KT1
60	44	55,4	18,4	6,35	KT1
60	44	55,4	18,4	6,35	KT4
60	44	55,4	18,4	6,35	KT7
60	48	56	20,5	4,2	KT1
60	48	56	20,5	4,2	KT4
60,3344,4555,73	19,45	6,35	KT7		
63	47	59	20,5	3,1	KT4
63	47	58,4	19,4	6,35	KT4
63	47	58,4	19,4	6,35	KT7
63	47	58,4	18,4	6,35	KT1
63	47	58,4	18,4	6,35	KT4
63	51	59	20,5	4,2	KT1
63,547,62	58,9	19,45	6,35	KT7	
63,553,97	59	11,1	5,8		
65	49	61	20,5	3,1	KT4
65	50	60,4	18,4	6,35	KT1
65	50	60,4	18,4	6,35	KT7
66,6750,8	62,1	19,05	6,36		
70	50	64,2	22,4	6,35	KT1

D	d	d1	L1	L2	TIP
70	50	64,2	22,4	6,35	KT4
70	50	64,2	22,4	6,35	KT7
70	54	66	20,5	3,1	KT4
70	58	66	20,5	4,2	KT1
75	55	69,2	22,4	6,35	KT1
75	55	69,2	22,4	6,35	KT7
76,257,15	70,4	23,79	6,35	KT7	
80	60	74,15	22,4	6,35	KT1
80	60	74,15	22,4	6,35	KT4
80	60	74,15	22,4	6,35	KT7
80	62	76	22,5	3,6	KT4
80	66	76	22,5	5,2	KT1
85	65	79,15	22,4	6,35	KT1
85	65	79,15	22,4	6,35	KT7
88,969,85	83,08	23,79	6,35	KT7	
90	70	84,15	22,4	6,35	KT1
90	70	84,15	22,4	6,35	KT4
90	70	84,15	22,4	6,35	KT7
90	72	86	22,5	3,6	KT4
90	76	86	22,5	5,2	KT1
95	75	89,15	22,4	6,35	KT1
95	75	89,15	22,4	6,35	KT7
100	75	93,15	22,4	6,35	KT1
100	75	93,15	22,4	6,35	KT4
100	75	93,15	22,4	6,35	KT7
100	82	96	22,5	3,6	KT4
100	86	96	22,5	5,2	KT1
105	80	98,1	22,4	6,35	KT1
105	80	98,1	22,4	6,35	KT7
110	85	103,1	22,4	6,35	KT1
110	85	103,1	22,4	6,35	KT4
110	85	103,1	22,4	6,35	KT7
110	92	106	22,5	3,6	KT4
110	96	106	22,5	5,2	KT1
115	90	108,1	22,4	6,35	KT1
115	90	108,1	22,4	6,35	KT7
115	97	111	22,5	3,6	KT1
120	95	113,1	22,4	6,35	KT1
120	95	113,1	22,4	6,35	KT7
120	106	116	22,5	5,2	KT1
125	100	118,1	25,4	6,35	KT1
125	100	118,1	25,4	6,35	KT4
125	100	118,1	25,4	6,35	KT7
125	103	121	26,5	5,1	KT4
125	108	121	26,5	7,2	KT1
130	105	123,1	25,4	6,35	KT7
130	105	122,6	25,4	9,5	
135	110	128,1	25,4	6,35	KT7
135	110	127,6	25,4	9,5	KT1
140	115	133	25,4	6,35	KT1
140	115	133	25,4	6,35	KT4
140	115	133	25,4	6,35	KT7
140	115	132,6	25,4	9,5	KT1
140	123	136	26,5	7,2	KT1
145	120	138,3	25,4	6,35	KT7
145	120	137,6	25,4	9,5	KT1
150	125	143	25,4	6,35	KT7
150	125	142,6	25,4	9,5	KT1
150	128	146	26,5	5,1	KT4









KOMBINIRANE BRTVE
Ugradbene mjere

KT
03



DIHTA d.o.o.
Labinci 83,
52464 Kaštelir (HR)
Mob.: 099 200 1550
Tel.: 052 455 093
E-mail: info@dihta.com
Web: www.dihta.com

Vrste brtvi:



D	d	d1	L1	L2	TIP
150	133	146	26,5	7,2	KT1
155	130	148	25,4	6,35	KT7
155	130	147,6	25,4	9,5	KT1
160	135	152,6	25,4	9,5	KT1
160	138	156	26,5	5,1	KT4
160	143	156	26,5	7,2	KT1
165	140	157,6	25,4	9,5	KT1
170	145	161,7	25,4	12,7	KT1
175	150	166,7	25,4	12,7	KT1
180	150	172,95	35,4	6,35	KT1
180	150	172,95	35,4	6,35	KT7
180	155	171,7	25,4	12,7	KT1
185	160	176,7	25,4	12,7	KT1
190	165	181,7	25,4	12,7	KT1
195	170	186,7	25,4	12,7	KT1
200	175	191,6	25,4	12,7	KT1
210	185	201,6	25,4	12,7	KT1
220	190	212,7	35,4	6,35	KT1
220	195	211,6	25,4	12,7	KT1
230	205	221,6	25,4	12,7	KT1
240	215	231,6	24,4	12,7	KT1
250	220	242,9	35,4	6,35	KT1
250	220	242,9	35,4	6,35	KT7
250	225	241,6	25,4	12,7	KT1